




## DATA SHEET

**HOLLY: Extra slim LED wall emergency lamp. 140 lm, 2 hrs, IP65.**  
Maintained + not maintained



PACKING / 	INNER  pcs	MASTER  pcs
<b>Colour Box</b>	<b>6</b>	<b>24</b>



## TECHNICAL DATA

Power supply	220V AC
Power supply provided	YES
Type of power supply provided	INTERNAL DRIVER
Batteries provided	(INCLUDED)
Battery capacity (mAh)	1500
How many batteries are used	2
Battery/battery weight (kg)	0.088
Maximum autonomy (h)	2
Lighting source	2835 SMD LED
Lighting power (W)	max 3.5
Lumen	140
Light beam	DIFFUSE
Beam angle (°)	120°
Material	PLASTIC + PC
Switch	NO
IP Protection	IP65
Insulation class	II
Light colour	6500K
Mechanical strength (IK)	IK08
Rated voltage (V)	7,4
Warranty	2 YEARS
Width (mm)	300
Depth (mm)	100
Height (mm)	30
Net weight (Kg)	0.346

## DESCRIPTION


Emergency LED lamp, fixed, 140 lumens, autonomy: 2 hours. Elegant: its contemporary and simple design combines with all the houses; with only 32mm of thickness it is extra thin not to be noticed; it can be mounted protruding (it is so thin that it does not require a recessed box) on the wall or ceiling; the supplied springs allow recessed mounting in a false ceiling. Certified EN60598-2-22 is a true emergency light; it can be used both in sa (always on, the light remains on in the event of a power failure) and in itself (emergency only: normally off, the light will only come on in the event of a power failure). IP65 is water resistant and can therefore be installed both indoors and outdoors; is perfectly suited in the living room, bedroom, corridor, garage; but also in a restaurant. Equipped with SMD LEDs, it generates 3.5W of power (140 lumens); light color: 6500K; mounts a li-ion battery for a total of 7.4V 1500mAh; hyper-resistant polycarbonate body (IK08).

Packing type

Colour Box

**DATA SHEET****HOLLY: Extra slim LED wall emergency lamp. 140 lm, 2 hrs, IP65.  
Maintained + not maintained**

Pack length (mm)	110
Pack width (mm)	330
Pack height (mm)	40
Packed product weight (kg)	10.880
Inner width (cm)	26
Inner length (cm)	23
Inner height (cm)	34
Quantity in inner	6
Gross weight inner (kg)	2.590
ITF INNER	18003910107288
Master length (cm)	47
Master width (cm)	26
Master height (cm)	37
Quantity in master	24
Master gross weight (kg)	10.880
ITF MASTER	28003910107285
How many pieces on 80x120 pallet (pz)	576
INTRASTAT Code	94051140
DEEE	0.06
Country of origin	CHINA



**SUPER SLIM**

**ONLY  
32 MM**

